

How To Make A Single-Lever Small Biomass Press

(English and Metric) Parts List, Notes & Drawings





Notes:


- 1. The press is designed to accommodate a biomass mold height of 3 ½" with either a 3" or 4" diameter. If you desire a mold height greater than 3 ½", increase the separation between part D and part B to accommodate the new mold height requirements. Also, increase the length of parts J, K & M appropriately.
- 2. To minimize swelling of the plunger, Part J, caused by the absorption of moisture, coat with oil, grease, lard or any similar water repelling substance.
- 3. To capture wastewater, you can tilt the press for drainage by lengthening the lower section of Part A, i.e. the section below the base plate D.





PART	PCS	DESCRIPTION
Stock	1	1 ½" x 3 ½" x 72"
Stock	1	1 ½" x 5 ½" x 24"
A	2	Vertical Support 1½" X 3½" X 16", channel = 1½" wide x 3/4" deep, 2" from bottom end of stock. Channel = 1½" wide x 3/4" deep, 1" from top end of stock.
В	1	Top Spacer 1½" X 3½" X 5 ½"
С	1	Pusher Lever 1" X 2" X 28", see drawing for end taper
D	1	Base plate with grooves, see drawing. 1½" X 5½" X 24", Fasten with nails or screws
E	1	Front Leg 1½" X 3½" X 7
F	2	Removal Rails, 3/4" x 3.5" x 2" with 1/4"x 3/4" cut-out, see drawing
М	1	Mold 3½" of 3" schedule 40 PVC with 1/8" or 3/16" holes on ½" centers. See note 1
J	1	Mold Plunger, sized to fit inside the 3" PVC mold 7" long with 1 1/8" hole, 5" Deep. See note 1 & 2
К		Center Drainage Tube 4 ½" long, ¾" schedule 40 PVC with 1/8" or 3/16" holes on ½" centers. See note 1
L	1	Mold Base Plate, Optional Metal or Plastic, made of two pieces 1/8" thick, size the ID dimension to fit inside the 3" mold, see drawing for details.

























Micro Single-Lever Press METRIC

